# 15480 to 15583—Continued.

15566. Ngohe.

Hills and lowlands. Becomes vigorous. Often planted at the edge of the field

15567. Borakupata.

From Morogoro. Opening of the rainy season is sown in damp soil.

15568. Meli.

From Morogoro. Plant at the commencement of the rainy season in moist lowlands or marshy places.

Malula and Marura.

From Morogoro. Plant at the commencement of the rainy season in moist lowlands or marshy ground.

15570. Sena.

From Morogoro. Plant in moist ground at the commencement of the rainy season.

15571. Rufiji.

From Mahenge. Plant in rainy season in heavy, black, wet soil. From five to six months to mature.

15572. Rigubaza.

From Mahenge. Plant in rainy season in heavy, moist, black soil. Matures in five to six months.

### 15573 to 15583.

From Mahenge. Mature in five to six months. Plant in rainy season in heavy, moist, black soil.

15573.	Sena.	15579.	Ngumbo.
15574.	Schindano.	15580.	Satari.
15575.	Halimaria.	15581.	Funga.
15576.	Kapemba.	15582.	Kingano.
15577.	Kafinda.	15583.	Miknambe.
15578.	Kikalati.		

#### Lilv. LILIUM LONGIFLORUM EXIMEUM GIGANTEUM.

Seedlings raised in the Department of Agriculture greenhouses. Numbered September 1, 1905.

## 15585 to 15593. Narcissus sp.

Narcissus.

From Guernsey, England. Received thru W. Mauger & Son, Brookdale Nurseries, August 21, 1905.

### 15594 to 15654.

From Haarlem, Holland. Received thru Mr. C. G. van Tubergen, jr., Zwanenburg Nurseries, September 5, 1905.

Miscellaneous bulbs.

15594. Gladiolus alatus.

15646 to 15654. Iris spp.

15595 to 15645. Tulipa spp.

#### 15655. AVENA SATIVA.

Oat.

From Sherman, Tex. Received thru Mr. W. F. Sheldon, September 5, 1905.

#### 15656. Persea Gratissima.

Avocado.

From Miami, Fla. Received thru Col. G. B. Brackett, from Prof. P. H. Rolfs, September 5, 1905.